

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## RHEOSEPT-SD plus

Revision date: 08.09.2020

Product code: 205240

Page 1 of 12

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

RHEOSEPT-SD plus

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Alcohol-based fast-acting disinfectant.

**1.3. Details of the supplier of the safety data sheet**

Company name:	NW-Chemie GmbH	
Street:	Langbaughstr. 15	
Place:	D-53842 Troisdorf	
Telephone:	+49 2241-3923-0	Telefax: +49 2241-3923-90
e-mail:	info@rheosol.de	
Contact person:	Dr. Friedrichs (MSDS qualified person)	Telephone: +49 2241-3923-0
e-mail:	sicherheit@rheosol.de	
Internet:	www.rheosol.de	
Responsible Department:	Produktsicherheit	

**1.4. Emergency telephone number:** Giftnotruf Berlin (Germany): +49 30 30686 700

**Further Information**

This safety data sheet replaces the former safety data sheet.  
The affected sections are listed in section 16.

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:  
Flammable liquid: Flam. Liq. 3  
Serious eye damage/eye irritation: Eye Irrit. 2  
Hazard Statements:  
Flammable liquid and vapour.  
Causes serious eye irritation.

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

**2.2. Label elements****Regulation (EC) No. 1272/2008****Signal word:** Warning**Pictograms:****Hazard statements**

H226 Flammable liquid and vapour.  
H319 Causes serious eye irritation.

**Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## RHEOSEPT-SD plus

Revision date: 08.09.2020

Product code: 205240

Page 2 of 12

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use Alcohol resistant foam, CO<sub>2</sub>, powder, waterspray. to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

**Additional advice on labelling**

Classification according to Regulation (EC) No 1272/2008 [CLP]

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Hazardous components**

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	GHS Classification			
64-17-5	ethanol; ethyl alcohol			35 - < 40 %
	200-578-6	603-002-00-5		
	Flam. Liq. 2; H225			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			10 - < 15 %
	200-661-7		01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			
78-93-3	butanone; ethyl methyl ketone			< 1 %
	201-159-0	606-002-00-3		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066			

Full text of H and EUH statements: see section 16.

**Further Information**

Note: The danger characteristics refer to the properties of the neat substances.

Full text of H- and EUH-phrases: see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

**After inhalation**

Provide fresh air. Seek medical attention if problems persist.

**After contact with skin**

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. After contact with skin, wash immediately with plenty of water.

In case of skin irritation, seek medical treatment.

**After contact with eyes**

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

**After ingestion**

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Seek medical attention if problems persist.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**RHEOSEPT-SD plus**

Revision date: 08.09.2020

Product code: 205240

Page 3 of 12

**4.2. Most important symptoms and effects, both acute and delayed**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Water spray jet, Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder. Alcohol resistant foam. Extinguishing powder. Carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

Flammable. Vapours can form explosive mixtures with air. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO<sub>2</sub>).

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Product is flammable. Do not spray on hot surfaces.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Consider conventional precautions for chemical handling.

Provide sufficient ventilation.

Remove all sources of ignition.

**6.2. Environmental precautions**

Do not allow uncontrolled discharge of product into the environment. Explosion risk in case of fire. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Suitable material for taking up: Universal binding agent.

Treat the recovered material as prescribed in the section on waste disposal.

Wash with plenty of water.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Use only in well-ventilated areas.

Do not breathe gas/fumes/vapour/spray.

Avoid contact with eyes.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## RHEOSEPT-SD plus

Revision date: 08.09.2020

Product code: 205240

Page 4 of 12

**Advice on protection against fire and explosion**

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges.  
Vapours can form explosive mixtures with air. The product is: Flammable.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed in a cool, well-ventilated place.

Protect against:

UV-radiation/sunlight.

frost.

**Hints on joint storage**

Do not store together with: Pyrophoric or self-heating substances. Do not store together with:

self-igniting material

igniting (oxidating) materials

Material, combustible.

material, flammable.

alkali metals

**7.3. Specific end use(s)**

not known

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
78-93-3	Butan-2-one (methyl ethyl ketone)	200	600		TWA (8 h)	WEL
		300	899		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

**Biological Monitoring Guidance Values (EH40)**

CAS No	Substance	Parameter	Value	Test material	Sampling time
78-93-3	Butan-2-one	butan-2-one	70 µmol/L	urine	Post shift

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			
Worker DNEL, long-term		dermal	systemic	888 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	500 mg/m <sup>3</sup>
Consumer DNEL, long-term		oral	systemic	26 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	319 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	89 mg/m <sup>3</sup>

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### RHEOSEPT-SD plus

Revision date: 08.09.2020

Product code: 205240

Page 5 of 12

#### PNEC values

CAS No	Substance	
	Environmental compartment	Value
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	
	Freshwater	140,9 mg/l
	Freshwater (intermittent releases)	140,9 mg/l
	Marine water	140,9 mg/l
	Freshwater sediment	552 mg/kg
	Marine sediment	552 mg/kg
	Secondary poisoning	160 mg/kg
	Micro-organisms in sewage treatment plants (STP)	2251 mg/l
	Soil	28 mg/kg

#### 8.2. Exposure controls



##### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Do not eat, drink or smoke at the workplace.

##### Eye/face protection

Suitable eye protection: goggles. Tightly sealed safety glasses.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.

penetration time (maximum wearing period): 8 h

Suitable material:

NR (Natural rubber (Caoutchouc), Natural latex). 0,5 mm

CR (polychloroprenes, Chloroprene rubber). 0,5 mm

NBR (Nitrile rubber). 0,35 mm

FKM (fluororubber). 0,4 mm

PVC (Polyvinyl chloride). 0,5 mm

Before using check leak tightness / impermeability.

##### Skin protection

Working clothes.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Respiratory protection necessary at: insufficient ventilation.

Handling larger quantities.

exceeding exposure limit values

##### Environmental exposure controls

Do not allow to enter into surface water or drains. Avoid intrusion in soil. In case of intrusion in waters or drain systems, consult responsible authority.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## RHEOSEPT-SD plus

Revision date: 08.09.2020

Product code: 205240

Page 6 of 12

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state: liquid  
 Colour: colourless  
 Odour: alcoholic

**Test method**

pH-Value: 3

**Changes in the physical state**

Melting point: &lt; 80 °C

Initial boiling point and boiling range: 78 °C

Sublimation point: not known

Softening point: not applicable

Pour point: not applicable

Flash point: 24 °C DIN 51755

Sustaining combustion: Not sustaining combustion

**Flammability**

Solid: not applicable

Gas: not applicable

**Explosive properties**

The product is not: Explosive.

Lower explosion limits: 2 vol. %

Upper explosion limits: 15 vol. %

Ignition temperature: 400 °C

**Auto-ignition temperature**

Solid: not applicable

Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties**

Not oxidizing.

Vapour pressure:  
(at 20 °C) 58 hPaVapour pressure:  
(at 50 °C) 293 hPaDensity: 0,91 g/cm<sup>3</sup>

Water solubility: complete miscible

**Solubility in other solvents**

not determined

Partition coefficient: not determined

Vapour density: not determined

Evaporation rate: not determined

**9.2. Other information**

Solid content: not determined

**SECTION 10: Stability and reactivity**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### RHEOSEPT-SD plus

Revision date: 08.09.2020

Product code: 205240

Page 7 of 12

#### 10.1. Reactivity

Flammable. The product is stable under storage at normal ambient temperatures.

#### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

Incompatibility with oxidizing agents.

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. In case of warming: Risk of selfignition.

#### 10.5. Incompatible materials

Alkali metals. Alkaline earth metals. Oxidizing agents. Sulphuric acid and sulphurous acid. Nitric acid.

#### 10.6. Hazardous decomposition products

Prolonged exposure to direct and intensive sunlight may form explosive peroxides in the product

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Acute toxicity

Based on available data, the classification criteria are not met.

For oral intoxication by isopropanol of humans several symptoms are known: sickness, vomitus, stomach ache, gastritis, Reduction of blood pressure, bodytemperature drop, coma, respiratory paralysis. 0,5 L of 70% V/V Isopropanol mixture may be lethal. Source: GESTIS substance data base of the BG Institute for Occupational Safety and IFA.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64-17-5	ethanol; ethyl alcohol				
	oral	LD50 mg/kg	6200	Rat	IUCLID
	inhalation (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
	oral	LD50 mg/kg	>2000	Rat	
	dermal	LD50 mg/kg	>2000	Rabbit	
	inhalation (4 h) vapour	LC50	30 mg/l		
78-93-3	butanone; ethyl methyl ketone				
	oral	LD50 mg/kg	3.300	Rat	
	dermal	LD50	6.400 - 8.000 mg/kg	Rabbit	

##### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

##### Sensitising effects

Based on available data, the classification criteria are not met.

##### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

### RHEOSEPT-SD plus

Revision date: 08.09.2020

Product code: 205240

Page 8 of 12

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

#### Practical experience

#### Observations relevant to classification

not known

## SECTION 12: Ecological information

### 12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64-17-5	ethanol; ethyl alcohol					
	Acute crustacea toxicity	EC50 9268 - 14221 mg/l	48 h	Daphnia magna	IUCLID	
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	Acute fish toxicity	LC50 >100 mg/l	96 h	Leuciscus idus		
	Acute algae toxicity	ErC50 >1000 mg/l	72 h	Scenedesmus subspicatus		
	Acute crustacea toxicity	EC50 13299 mg/l	48 h	Daphnia magna		
78-93-3	butanone; ethyl methyl ketone					
	Acute fish toxicity	LC50 3.220 mg/l	96 h	Pimephales promelas		
	Acute crustacea toxicity	EC50 5.091 mg/l	48 h	Daphnia magna		

### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			
	Biological degradability	53 %	5	
	Readily biodegradable.			

### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### RHEOSEPT-SD plus

Revision date: 08.09.2020

Product code: 205240

Page 9 of 12

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol; ethyl alcohol	-0,31
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	0,05

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

There are no data available on the mixture itself.

#### 12.6. Other adverse effects

There are no data available on the mixture itself.

#### Further information

Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Hand over to officially registered waste disposal company.

##### List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

##### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Completely emptied packings can be re-cycled.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

<b>14.1. UN number:</b>	UN 1987
<b>14.2. UN proper shipping name:</b>	ALCOHOLS, N.O.S. (ethanol, ethyl alcohol, propan-2-ol; isopropyl alcohol; isopropanol)
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	III
Hazard label:	3



Classification code:	F1
Special Provisions:	274 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	30
Tunnel restriction code:	D/E

#### Inland waterways transport (ADN)

<b>14.1. UN number:</b>	UN 1987
<b>14.2. UN proper shipping name:</b>	ALCOHOLS, N.O.S. (ethanol, ethyl alcohol, propan-2-ol; isopropyl alcohol; isopropanol)
<b>14.3. Transport hazard class(es):</b>	3

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### RHEOSEPT-SD plus

Revision date: 08.09.2020

Product code: 205240

Page 10 of 12

**14.4. Packing group:** III  
Hazard label: 3



Classification code: F1  
Special Provisions: 274 601  
Limited quantity: 5 L  
Excepted quantity: E1

#### Marine transport (IMDG)

**14.1. UN number:** UN 1987

**14.2. UN proper shipping name:** ALCOHOLS, N.O.S. (ethanol, ethyl alcohol, propan-2-ol; isopropyl alcohol; isopropanol)

**14.3. Transport hazard class(es):** 3

**14.4. Packing group:** III  
Hazard label: 3



Special Provisions: 223, 274  
Limited quantity: 5 L  
Excepted quantity: E1  
EmS: F-E, S-D  
Segregation group: acids

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 1987

**14.2. UN proper shipping name:** ALCOHOLS, N.O.S. (ethanol, ethyl alcohol, propan-2-ol; isopropyl alcohol; isopropanol)

**14.3. Transport hazard class(es):** 3

**14.4. Packing group:** III  
Hazard label: 3



Special Provisions: A3 A180  
Limited quantity Passenger: 10 L  
Passenger LQ: Y344  
Excepted quantity: E1  
IATA-packing instructions - Passenger: 355  
IATA-max. quantity - Passenger: 60 L  
IATA-packing instructions - Cargo: 366  
IATA-max. quantity - Cargo: 220 L

#### 14.6. Special precautions for user

Warning: Combustible liquid.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

### SECTION 15: Regulatory information

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**RHEOSEPT-SD plus**

Revision date: 08.09.2020

Product code: 205240

Page 11 of 12

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2010/75/EU (VOC):	50,378 % (458,44 g/l)
2004/42/EC (VOC):	50,378 % (458,44 g/l)
Information according to 2012/18/EU (SEVESO III):	P5c FLAMMABLE LIQUIDS

**National regulatory information**

Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	1 - slightly hazardous to water

**15.2. Chemical safety assessment**

For the following substances of this mixture a chemical safety assessment has been carried out:  
propan-2-ol; isopropyl alcohol; isopropanol

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s):  
1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
ICAO: International Civil Aviation Organization  
P: Marine Pollutant  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
CLP: Classification, labelling and Packaging  
REACH: Registration, Evaluation and Authorization of Chemicals  
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
UN: United Nations  
DNEL: Derived No Effect Level  
DMEL: Derived Minimal Effect Level  
PNEC: Predicted No Effect Concentration  
ATE: Acute toxicity estimate  
LL50: Lethal loading, 50%  
EL50: Effect loading, 50%  
EC50: Effective Concentration 50%  
ErC50: Effective Concentration 50%, growth rate  
NOEC: No Observed Effect Concentration  
BCF: Bio-concentration factor  
PBT: persistent, bioaccumulative, toxic

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### RHEOSEPT-SD plus

Revision date: 08.09.2020

Product code: 205240

Page 12 of 12

vPvB: very persistent, very bioaccumulative  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 RID: Regulations concerning the international carriage of dangerous goods by rail  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation  
 intérieures)  
 EmS: Emergency Schedules  
 MFAG: Medical First Aid Guide  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 VOC: Volatile Organic Compounds  
 SVHC: Substance of Very High Concern  
 @1602.B016012

#### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Eye Irrit. 2; H319	Calculation method

#### Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.  
 H226 Flammable liquid and vapour.  
 H319 Causes serious eye irritation.  
 H336 May cause drowsiness or dizziness.  
 EUH066 Repeated exposure may cause skin dryness or cracking.

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*